

TIANGE ACOUSTICS

WPC WOOD DECO PANEL SERIES

TIANGE INDUSTRIAL GROUP CO., LTD
GUANGDONG TIANGE ACOUSTICS GROUP CO., LTD
FOSHAN TIANGE ACOUSTIC & DECOR MATERIAL CO., LTD

Add: No.14, 2nd Road, Desheng, Lishui, Nanhai, Foshan, Guangdong, CHINA

Website: www.acousticcn.com ; www.goodsoundacoustic.com

Facebook: <https://www.facebook.com/tiangeacoustics>

YouTube: <https://www.youtube.com/channel/UC1HOGYYxcSMAbiikle2d01g>




Twitter: <https://twitter.com/TianGeAcoustic>

Instagram: <https://www.instagram.com/tiangeacoustics>



Wood-plastic characteristics

The main materials (polyethylene) include polyethylene, polypropylene, polyvinyl chloride, etc. By adding waste plant fibers such as wood flour, rice husks, and straw, they are mixed into new wooden materials for extrusion, molding, and injection molding. Wood plastic combines the dual characteristics of plastic and wood, making it a high-quality substitute for wood.




www.acoustic.cn.com

CO-EXTRUSION WALL BOARD

Plastic wood composite materials include:
30%(wood plastic) raw material,
55% environmental friendly plastic raw materials,
15% natural fiber (wood powder, bamboo powder,
Anti ultraviolet agents, antioxidants,
stabilizerscolorants, antifungal agents,
coupling agents,reinforcing agents, lubricants.

www.acousticen.com






BRUSHED SURFACE



STRONG FIREPROOF



STRONG WATERPROOF





天戈
TIAN GE



3D embossed wood-plastic wallboard



Features of plastic wood wall panels: high strength, rust proof, anti-corrosion, acid resistant, no need for maintenance and upkeep, it is a great innovation in the construction and decoration industry. Waterproof and moisture-proof, solving the problem of traditional wooden products being prone to decay, expansion, and deformation after absorbing water in humid and watery environments. Insect and white mosquito prevention, effectively eliminating insect infestation and extending service life. High fire resistance, non combustible. The product does not contain benzene substances, meets European grade environmental standards, and can be recycled, greatly saving wood usage. It can easily achieve personalized styling and fully reflect individual style. Good processability, can be ordered, created, sawn, drilled, and surface free of paint.





Co-extrusion series





Co extruded flooring is a new generation of wood plastic, which uses high-tech co extrusion technology. The core material is made of high-density plastic and wood fiber surface polymer plastic, and the surface is wrapped in a 360 degree co extrusion layer through high-temperature co extrusion technology. Compared to ordinary plastic boards, it has advantages such as better stability, lower water absorption, more colors, and more high-end three-dimensional wood grain.

Striped surface



Wood grain surface




	150*22		139*23
	150*22		140*30



www.acousticcn.com

天戈®
TIAN GE



Light Grey/Dark Grey



Golden Green
Antique Wood



www.acousticcn.com

3D co extruded plastic wood flooring

Co extruded flooring is a new generation of wood plastic, which uses high-tech co extrusion technology. The core material is made of high-density plastic and wood fiber surface polymer plastic, and the surface is wrapped in a 360 degree co extrusion layer through high-temperature co extrusion technology. Compared to ordinary plastic boards, it has advantages such as better stability, lower water absorption, more colors, and more high-end three-dimensional wood grain.



Red Oak,Golden Teak



Nut-Brown, Ebony





**Wood plastic
composite floor**

Deep embossing

149*23*3000mm



color: Coffee



color: Rosewood




color: Oak



color: Grey

3D Wood Grain Series



Manchurian ash



Bark scar grain









Bark grain



Tree heart lines

Compared to traditional products, 3D embossed products have a more natural visual effect and more realistic wood grain texture. 3D embossing technology can be completed during the extrusion process without the need for subsequent processing. The texture of 3D embossing can provide long-term durability because it is deeper than regular embossing and more wear-resistant during application than regular embossing.

	149*23		140*25
	150*23		146*25
	140*20		140*25

3D deep embossing case drawing

Delicate life cannot leave plastic wood floor



Delicate life cannot leave plastic wood floor



Square hole wood grain wpc floor



Selected materials to create
high-quality plastic wood flooring



Coffee



Rosewood



Teak

Wood grain texture design, clear and natural

150*25*3000mm



Ecological composite flooring

Healthy ecological wood is necessary for environmental protection, where the good field lies. Multiple specifications, diverse colors, widely used in gardens, hydrophilic platforms, walkways, square floors, etc. No paint, worry and effort saving, strong physical properties, strong plasticity - sawable, throwing, drilling, good strength

Plastic-wood splicing floor


A good life starts from the floor

Plastic wood composite floor is a floor made of plastic wood composite materials. It has the same processing characteristics as wood, the texture of membrane materials and the water resistance and anti-corrosion properties of plastic, making it a good and durable indoor and outdoor waterproof and anti-corrosion building material, resistant to stains and scratches, mildew/decay/cracking/insect frogs without paint, formaldehyde, carbonization treatment, constant color, impact resistance, aging resistance, Stable color, waterproof and corrosion-resistant, widely used, durable base, sturdy and durable texture, clear and environmentally friendly, painless installation, fast and no need for complex construction



Plastic wood splicing board spot

The interpretation of the beauty of nature is presented in every product, and the spirit of pine wood is the soul of the product. From life, we discover art and savor it. Adhering to wood culture should not be limited to the product itself, but rather an attitude towards wood



Brown



Rosewood






Teak



Gray

www.acousticen.com







Environmentally friendly
and aesthetically pleasing

Plastic wood ceiling

This balcony plastic wood ceiling rendering belongs to the American rural mixed style. If you want to bring a hint of greenery to your home through sunlight, you can refer to the design in the above picture. A variety of flowers, with a simple wooden floor, plastic wooden ceiling, and a set of tables and chairs, does it have a garden like feel. Whether it's sunny or stormy, you can still stay in the natural environment.





Coextrusion series

Specifications



NAME: Solid floor
SIZE: 138mm*23mm



NAME: Solid floor
SIZE: 140mm*23mm



NAME: Solid floor
SIZE: 150mm*22mm



NAME: Round hole floor
SIZE: 139mm*23mm



NAME: Round hole floor
SIZE: 150mm*22mm



NAME: Round hole floor
SIZE: 145mm*40mm



NAME: Solid slab
SIZE: 70mm*11mm



NAME: Great Wall Borad
SIZE: 219mm*26mm



NAME: Solid slab
SIZE: 140mm*11mm



NAME: Solid floor
SIZE: 140mm*23mm



NAME: Solid floor
SIZE: 140mm*23mm



NAME: Solid floor
SIZE: 145mm*23mm



NAME: Fangtong
SIZE: 50mm*50mm



NAME: Fangtong
SIZE: 100mm*50mm



NAME: Column
SIZE: 120mm*120mm



NAME: Exterior wall panel
SIZE: 140mm*12mm



NAME: Exterior wall panel
SIZE: 156mm*21mm



NAME: Exterior wall panel
SIZE: 176mm*22mm



NAME: Handrail
SIZE: 90mm*45mm



NAME: Handrail
SIZE: 90mm*50mm

3D embossed series

Specifications



NAME: Round hole floor
SIZE: 140mm*25mm



NAME: Round hole floor
SIZE: 140mm*25mm



NAME: Solid floor
SIZE: 140mm*25mm



NAME: Square hole floor
SIZE: 140mm*20mm



NAME: Square hole floor
SIZE: 140mm*25mm



NAME: Square hole floor
SIZE: 150mm*23mm



NAME: Solid floor
SIZE: 140mm*40mm



NAME: Solid slab
SIZE: 140mm*12mm



NAME: Handrail
SIZE: 76mm*38mm



NAME: Round hole floor
SIZE: 149mm*23mm



NAME: Solid floor
SIZE: 140mm*20mm



NAME: Solid floor
SIZE: 140mm*24mm



NAME: Handrail
SIZE: 90mm*45mm



NAME: Column
SIZE: 124mm*124mm



NAME: Fangtong
SIZE: 45mm*45mm



NAME: Grating plate
SIZE: 120mm*20mm



NAME: Exterior wall panel
SIZE: 156mm*21mm



NAME: Solid slab
SIZE: 130mm*12mm



NAME: Column
SIZE: 320mm*20mm

Square hole floor series

Specifications



NAME: Square hole floor
SIZE: 140mm*40mm



NAME: Square hole floor
SIZE: 140mm*40mm



NAME: Square hole floor
SIZE: 140mm*40mm



NAME: Square hole floor
SIZE: 146mm*20mm



NAME: Square hole floor
SIZE: 146mm*21mm



NAME: Square hole floor
SIZE: 146mm*21mm



NAME: Square hole floor
SIZE: 140mm*25mm



NAME: Square hole floor
SIZE: 140mm*25mm



NAME: Square hole floor
SIZE: 150mm*25mm



NAME: Square hole floor
SIZE: 140mm*25mm



NAME: Square hole floor
SIZE: 148mm*24mm



NAME: Square hole floor
SIZE: 150mm*25mm



NAME: Square hole floor
SIZE: 146mm*31mm



NAME: Square hole floor
SIZE: 150mm*25mm



NAME: Square hole floor
SIZE: 150mm*35mm



NAME: Square hole floor
SIZE: 100mm*30mm



NAME: Square hole floor
SIZE: 145mm*30mm



NAME: Square hole floor
SIZE: 145mm*30mm



NAME: Square hole floor
SIZE: 150mm*50mm



NAME: Square hole floor
SIZE: 150mm*50mm

Round hole floor series


Specifications




NAME: Round hole floor
SIZE: 140mm*25mm



NAME: Round hole floor
SIZE: 150mm*50mm




NAME: Round hole floor
SIZE: 140mm*23mm



NAME: Round hole floor
SIZE: 140mm*24mm



NAME: Round hole floor
SIZE: 140mm*25mm



NAME: Round hole floor
SIZE: 140mm*25mm



NAME: Round hole floor
SIZE: 150mm*25mm



NAME: Round hole floor
SIZE: 140mm*40mm



NAME: Round hole floor
SIZE: 150mm*30mm




NAME: Round hole floor
SIZE: 150mm*40mm

Round hole floor series

Specifications



NAME: Solid floor
SIZE: 140mm*25mm



NAME: Solid floor
SIZE: 140mm*25mm




NAME: Solid floor
SIZE: 150mm*30mm



NAME: Solid floor
SIZE: 140mm*20mm



NAME: Solid floor
SIZE: 140mm*21mm



NAME: Solid floor
SIZE: 140mm*25mm




NAME: Solid floor
SIZE: 150mm*50mm



NAME: Solid floor
SIZE: 140mm*40mm




NAME: Solid floor
SIZE: 150mm*50mm




NAME: Solid floor
SIZE: 150mm*25mm




NAME: Solid floor
SIZE: 100mm*30mm




NAME: Solid floor
SIZE: 140mm*30mm



NAME: Solid floor
SIZE: 140mm*40mm



NAME: Solid floor
SIZE: 140mm*40mm



NAME: Solid floor
SIZE: 140mm*30mm/150mm*50mm

Solid floor series

Specifications



NAME: Solid bar
SIZE: 50mm*20mm



NAME: Solid bar
SIZE: 50mm*30mm



NAME: Solid bar
SIZE: 57mm*32mm



NAME: Solid plate
SIZE: 70mm*10mm



NAME: Solid plate
SIZE: 70mm*10mm




NAME: Solid plate
SIZE: 71mm*12mm



NAME: Solid plate
SIZE: 145mm*12mm



NAME: Solid plate
SIZE: 100mm*15mm



NAME: Solid plate
SIZE: 120mm*20mm



NAME: Solid plate
SIZE: 90mm*18mm



NAME: Solid plate
SIZE: 75mm*20mm



NAME: Solid plate
SIZE: 100mm*20mm



NAME: Solid plate
SIZE: 200mm*19mm




NAME: Solid plate
SIZE: 130mm*11mm



NAME: Solid plate
SIZE: 300mm*22mm



NAME: Solid plate
SIZE: 140mm*11mm



NAME: Solid plate
SIZE: 150mm*20mm



NAME: Solid plate
SIZE: 184mm*19mm




NAME: Solid bar
SIZE: 40mm*40mm




NAME: Solid bar
SIZE: 50mm*50mm

Wall panel grid series 天戈® TIANG E



NAME: Solid bar
SIZE: 80mm*40mm




NAME: Solid bar
SIZE: 90mm*40mm



NAME: Solid bar
SIZE: 100mm*30mm



NAME: Solid bar
SIZE: 80mm*40mm



NAME: Solid bar
SIZE: 100mm*32mm

Specifications



NAME: Great wall board
SIZE: 169mm*29mm



NAME: Great wall board
SIZE: 219mm*26mm



NAME: Exterior wall panel
SIZE: 288mm*9mm



NAME: Exterior wall panel
SIZE: 166mm*17mm



NAME: 3D embossed exterior wall panel
SIZE: 156mm*21mm



NAME: Cladding plate
SIZE: 177mm*28mm



NAME: Exterior wall panel
SIZE: 177mm*15mm



NAME: Exterior wall panel
SIZE: 110mm*23mm



NAME: Exterior wall panel
SIZE: 203mm*20mm



NAME: Grating plate
SIZE: 150mm*20mm

Keel edging and floor accessories

Specifications



NAME: Solid keel
SIZE: 40mm*25mm




NAME: Solid keel
SIZE: 40mm*30mm



NAME: Solid keel
SIZE: 40mm*40mm



NAME: Hollow keel
SIZE: 60mm*40mm



NAME: Edge closing strip
SIZE: 40mm*40mm/38mm*38mm




NAME: Edge closing strip
SIZE: 50mm*50mm



NAME: Solid keel
SIZE: 50mm*50mm



NAME: Solid keel
SIZE: 40mm*30mm



NAME: Coextrusion edging
SIZE: 50mm*50mm



NAME: Plastic buckle



NAME: Ridge edge




NAME: Keel accessories



NAME: Stainless steel buckle



NAME: Square buckle



NAME: Initial buckle